


www.flowquimica.es
info@flowquimica.es
+34 91 808 25 29
C/ Dinamismo 3
P.I. Los Olivos
28906 Getafe
Madrid, Spain



A-0602AM
19/10/2017

FÁBRICA DE PRODUCTOS QUÍMICOS
MANUFACTURE OF CHEMICAL PRODUCTS

ANTIFREEZER G13 100% **Concentrate yellow antifreezer refrigerant**

Pure antifreezer & coolant, made from glycols and a package of corrosion inhibitors to provide complete protection to all refrigeration circuit components found in internal combustion engines. Excellent corrosion protection for all metals and alloys in the circuit, as well as high cooling and boiling power. Applicable to any car brand. Protects the metal parts of the circuit.

MODE OF USE

Freezing point to -10: use 20% to -16 ° C: 30% use to -23 ° C: 40% use to -35 ° C: 50% employed.

CHARACTERISTICS	
APPEARANCE	Transparent
COLOR	Yellow
ODOR	Odourless
pH	8,1 - 8,5
CHEMICAL DESCRIPTION	Glycol/s

Skin Sens. 1: H317 - May cause an allergic skin reaction. Acute Tox. 4: H302 - Harmful if swallowed.

P101 If medical advice is needed, have product container or label at hand. P102 Keep out of reach of children. P261 Avoid breathing dust/fume/gas/mist/vapours/spray. P264 Wash thoroughly after handling. P280 Wear protective gloves/protective clothing/eye protection/face protection. P302+P352 IF ON SKIN: Wash with plenty of water. P330 Rinse mouth. P501 Dispose of the contents/containers in accordance with the current legislation on waste treatment.

Substances that contribute to the classification: Ethanediol (CAS 107-21-1); Reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1) (CAS 55965-84-9)

For use in industrial installations or professional treatment only Maximum V.O.C. content: 317,54 g/L (20 °C)

Warning

